

ORNAMENTAL GRASSES

Approx height & spread after 10 years in cms *e* = evergreen *se* = semi evergreen *d* = deciduous *Special quotation for 25, 50 and 100 rate* Pot size in ltrs Guide Price each

ACORUS

15x15 spread	<i>se</i> gramineus ' Hakuro-nishiki '. Dwarf slow growing clumps of arching bright golden-yellow leaves. Ideal in moist soil, sun or light shade.	2	3.95
	– ' Masamune '. Dwarf slow growing clumps of arching dark green leaves with cream stripe on one side. Ideal in moist soil, sun or light shade.	2	4.25
15x15 spread	<i>se</i> – ' Ogon '. Dwarf slow growing clumps of elegant arching leaves, variegated golden. Ideal in moist soil, sun or light shade.	2	4.25
25x15 spread	<i>se</i> – ' Variegata '. Perennial, marginal water plant. Sword like, tangerine scented, mid green leaves have cream variegation and are flushed rose-pink in Spring.	2	4.25
70x60 spread		5	13.50
		12	24.00

AGROSTIS

10x30 spread	<i>e</i> canina ' Silver Needles ' (<i>Velvet Bent Grass</i>). Tufts of fine, very small leaves edged silver-white with slowly spreading habit.	2	3.95
--------------	---	---	------

ALOPECURUS

25x30 spread	pratensis ' Aureus ' (<i>Golden Foxtail</i>). Densely tufted, perennial grass with almost entirely golden leaves and dense flower spikes in April to May. Sun or partial shade.	2	3.95
--------------	---	---	------

AMPELODESMOS

300x180 spread	<i>e</i> mauritanica (<i>Mauritania Vine Reed</i>). Unusual specimen. Evergreen, producing large panicles from Spring to Midwinter. Pendulous branches. Prefers sunny well drained position.	2	4.95
----------------	---	---	------

ANDROPOGON

210x60 spread	gerardii (<i>Big Bluestem</i>). Densely tufted perennial grass with blue-green leaves, which turn purple in Autumn. Deep red-purple flower heads September to October. Prefers well drained sandy soil and full sun.	2	4.25
---------------	---	---	------

ARRHENATHERUM

55x30 spread	elatius ' Variegatum ' (<i>False Oat Grass</i>). A loosely tufted grass with basal stem swelling, herbaceous. Striking leaves striped and edged pure white. Oat-like brown panicles in summer. Sun or partial shade.	2	4.25
--------------	--	---	------

ARUNDO

275x70 spread	donax var. Versicolor (<i>syn. 'Variegata'</i>) (<i>Giant Variagated Red</i>). Herbaceous, rhizomatous, perennial grass with strong stems bearin broad, creamy-white striped leaves. May bear dense, erect panicles of whitish-yellow spikelets in late Summer.	3	5.50
		12	26.50
		25	69.00

BOUTELOUA

55x25 spread	<i>se</i> gracilis (<i>Mosquita Grass</i>). Tuft forming, narrow leafed, perennial grass. In Summer bears comb-like spikes held at right angles to stems. Requires full sun and well drained soil.	2	3.95
--------------	---	---	------

BRIZA

50x30 spread	media (<i>Quaking Grass</i>). Graceful seed heads, that rustle in the slightest breeze. Good for drying for flower arranging. Sun or part-shade, moist or dry soils.	2	3.95
--------------	---	---	------

CALAMAGROSTIS

125x50 spread	brachytricha (<i>Diamond Grass</i>). Densely tufted perennial grass, purplish flowers in late Summer and Autumn. Best in full sun and well drained soil.	3	4.95
		12	26.50
100x50 spread	x actuiiflora ' Overdam ' (<i>Feather Reed Grass</i>). Mound forming grass with arching leaves striped white narrow upright habit. Attractive flowers in Summer. Prefers damp site.	3	4.95
		12	26.50
180x60 spread	– ' Karl Foerster '. (<i>Feather Reed Grass</i>). Attractive showy brown flower heads. From June through to Winter.	3	4.95

55x25 spread	<i>e berggrenii</i> . Compact tuft forming sedge with reddish-brown leaves Prefers a moist situation.	2	3.95
		7.5	18.95
40x80 spread	<i>e buchananii</i> (<i>Leatherleaf Sedge</i>). One of the most colourful sedges with upright narrow reddish-brown foliage. Flowers produced June to August. Prefers damp to wet soil and sunny position.	2	3.95
		7.5	18.95
45x70 spread	<i>e comans</i> ' Bronze Form ' (<i>New Zealand Hairy Sedge</i>). Very densely tufted sedge. Unusual dull brown hair-like leaves. Flowering June to August.	2	3.95
		10	22.00
25x25 spread	<i>e conica</i> ' Snowline '. A hardy sedge forming dainty miniature tufts. Leaves have fine white margins. Good for edging. Plant in sunny position.	2	4.25
30x25 spread	<i>e dipsacea</i> . A clump forming sedge. Good combination of bronze-olive-green leaves and black flowers. Highly ornamental. Best in moist soil in full sun.	2	3.95
40x20 spread	<i>e elata</i> ' Aurea ' (<i>Bowle's Golden Sedge</i>). Tuft forming, perennial sedge with golden-yellow leaves. Solid, triangular stems bear blackish-brown flower spikes in Summer. Requires full sun and wet soil.	2	4.25
25x45 spread	<i>e flacca</i> . Loosely tufted blue-grey sedge, with creeping rhizomes. Suitable for shade or full sun.	2	3.95
30x50 spread	<i>e</i> – ' Bias '. Loosely tufted sedge, with creeping rhizomes. Blue-green leaves Blue-green leaves with cream stripe on one edge. Prefers moist situation.	2	4.25
65x80 spread	<i>e flagellifera</i> . Sedge with upright long stems and coarse leaves of pale bronze to tawny-brown. Forms low arching dome of dense tufts. Prefers damp to wet soil.	2	3.95
60x45 spread	<i>e Frosted Curls</i> . Arching narrow shiny, silvery-green leaves curling at tips.	2	4.50
		7.5	18.95
		12	28.00
55x60 spread	<i>e grayi</i> (<i>Morning Star Sedge</i>). Sedge with narrow upright habit. Decorative seed heads from May to July. Useful as cut flowers.	2	3.95
		7.5	18.95
		12	28.50
50x30 spread	<i>e morrowii</i> ' Fishers Form '. Tufts of large cream variegated leaves. Prefers a moist situation.	2	4.95
		7.5	18.95
90x50 spread	<i>e muskingumensis</i> (<i>Palm Sedge</i>). Tuft-forming graceful perennial sedge with narrow green leaves. Attractive flowers in summer. Very effective as specimen. Prefers damp site. Spreads gently.	2	3.95
50x55 spread	<i>e</i> – ' Oehme '. Tuft-forming graceful perennial sedge with narrow yellow variegated leaves. Attractive flowers in Summer. Prefers damp site.	2	4.25
20x45 spread	<i>e ornithopoda</i> ' Variegata '. Densely tufted, White margined leaves.	2	3.95
		7.5	18.95
30x35 spread	<i>e oshimensis</i> ' Evergold '. Narrow, arching leaves with broad creamy-yellow stripe. Sun or partial shade.	2	3.95
		7.5	18.95
125x140 spread	<i>e pendula</i> (<i>Weeping Sedge</i>). Tuft forming with arching leaves and flower stems. Moist shade.	2	3.95
		7.5	18.95
		12	28.00
120x50 spread	<i>e</i> – ' Moonraker '. Tuft-forming perennial sedge with cream Spring foliage, flower spikes of greenish-brown in the Summer. Requires a moist soil and partial shade.	2	4.95
60x50 spread	<i>e phyllocephala</i> ' Sparkler '. Cream variegated foliage. Prefers moist soil.	2	4.50
15x15 spread	<i>e pilulifera</i> ' Tinney's Princess '. Neat and compact with creamy-yellow variegated foliage. Plant in full sun and well-drained soil.	2	3.95
30x40 spread	<i>e plantaginea</i> (<i>Plantain-leafed Sedge</i>). An attractive sedge forming compact tufts with arching leaves. Broad soft green leaves tinted red at the base. Best grown in a damp to wet soil in a sheltered position.	2	3.95
40x40 spread	<i>e riparia</i> ' Variegata '. Tufted perennial with spreading habit. Striking variegated pure white leaves. Flowering from May to June.	2	4.95
45x30 spread	<i>e secta</i> var. <i>Tenuiculmis</i> . Upright clump forming sedge. Arching light brown leaves. Fowler spikes in May. Best grown in sunny position.	2	3.95
30x30 spread	<i>e siderosticha</i> ' Silver Sceptre '. Dark green leaves with silvery-white variegation. Prefers damp to wet soil.	2	4.25
		7.5	18.95
		12	24.00
30x40 spread	<i>e</i> – ' Variegata '. A slow growing sedge with striking variegated leaves, streaked white and thinly margined. Prefers damp to wet soil.	2	4.25
		7.5	18.95
		12	28.00
45x60 spread	<i>e testacea</i> (<i>Orange New Zealand Sedge</i>). Clump forming sedge. Arching pale olive leaves, turning orange when grown in full sun. Black flower spikes. Best grown in sunny position.	2	3.95
140x75 spread	<i>e trifida</i> . Arching shiny green leaves with silvery underside. Large brown flower spikes. Will grow well in both sun or shade.	2	3.95

80x60 spread	e	latiflora (<i>syn. Unioia latifolium</i>) (<i>Spangle Grass</i>). Large green flat spikelets which hang gracefully from drooping panicles. Best in semi-shade and moist soil. Suitable cutting and drying.	2	3.95
--------------	---	---	---	------

CHIONOCHLOA

50x60 spread	e	rubra (<i>Red Tussock Grass</i>). Narrow dull reddish-brown leaves. Ordinary soil in full sun.	2	4.20
--------------	---	---	---	------

CORTADERIA

200x150 spread	e	selloana (<i>Pampas Grass</i>). Tall specimen grass. Bears lovely white plumes in Autumn that last throughout the Winter. Any soil. Plant in sun shade.	3	4.20
			12	26.50
210x150 spread	e	– 'Rosea' (<i>Pink Pampas Grass</i>). Tussock forming grass with spectacular tall pink plumes. Ideal specimen plant.	3	4.20
			12	26.50
325x170 spread	e	– 'Sunningdale Silver' . The best of the large growing pampas grasses. Elegant dense white plumes borne on stems up to 3.5 m tall. Wind resistant and sturdy. Needs sunny position.	3	4.55
			15	32.00
220x150 spread	e	– 'White Feather' (<i>Pampas Grass</i>). Spectacular tall silver-white plumes. Ideal specimen plant.	3	4.25
			12	26.50

CORYNEPHORUS

25x30 spread		canescens (<i>Silver Grass</i>). Fragile leaves, silvery panicles, often tinged with red. Blue-green cushions. Tolerates lightly acidic sandy soil, fairly dry.	2	4.95
--------------	--	--	---	------

CYPERUS

100x35 spread	e	eragrostis (<i>American Galingale</i>). Decorative leaf like bracts forming a whorl beneath the clustered flower spikes in May to October.	3	4.50
100x30 spread	e	glaber (<i>Umbrella Sedge</i>). Decorative leaf like bracts forming a whorl beneath the clustered flower spikes in May to October. Excellent for cutting.	3	4.50

DESCHAMPSIA

110x110 spread		cespitosa (<i>Tufted Hair Grass</i>). Attractive "mop head" clumps of shining dark green leaves. Large graceful panicles from June to August, that last into the Winter. Grows best in moist semi-shade ideal in woodland.	3	4.95
			7.5	18.95
			12	28.00
110x90 spread	e	– 'Bronze Veil' (<i>'Bronzeschleier'</i>) (<i>Tufted Hair Grass</i>). Arching tussocks of shining dark green leaves. Large panicles tinted bronze produced from June to August, that last into the Winter. Grows best in moist semi-shade ideal in woodland.	3	4.75
			7.5	18.95
			12	28.00
85x80 spread	e	– 'Golden Dew' (<i>'Goldtau'</i>) (<i>Tufted Hair Grass</i>). Compact tussocks, dark green leaves. Small panicles turning golden yellow in Autumn. Grows best in moist soil in full sun.	3	4.75
			7.5	18.95
			12	28.00
100x100 spread		var. Vivpara (<i>Tufted Hair Grass</i>). Clumps of dark green leaves. Large panicles with young plants produced in place of seeds from June to August, that last into the Winter. Grows best in moist semi-shade.	3	4.95
50x30 spread		flexuosa 'Tatra Gold' (<i>Wavy Hair Grass</i>). Most attractive grass forming bright lime-green tussocks of arching leaves. Plumes of green-purple flowers from June to August, that turn straw coloured. Prefers moist acid moist and sunny position.	2	4.25
			7.5	18.95

ELYMUS

120x70 spread		canadensis (<i>Canadian Wild Rye</i>). Low growing clumps. Glaucous grey-blue foliage. Bristly flower heads useful for floral art. Prefers moist soil and sun.	2	3.95
			7.5	18.95
50x40 spread		magellanicus (<i>syn. Agropyron Magellanicus</i>) (<i>Dwarf Blue-Grass</i>). Striking metallic chalky-blue dwarf grass. Forms non-invasive clumps.	2	4.25
			7.5	18.00

40x25 spread	e	amethystina (<i>Hair Fescue</i>). Compact tufts of fine hair-like grass. Needs sunny position.	2	3.95
15x25 spread	e	eskia . Dwarf, tuft forming needle-like leaves. Low growing mounds of hair-like dark green leaves.	2	3.95
20x30 spread	e	gautieri (<i>syn. scoparia</i>) (<i>Bear Skin Fescue</i>). Tuft forming, perennial grass. Fully hardy. Has bright green needle-like leaves. Bears unimportant panicles of spikelets in Summer. Requires sun.	2	3.95
25x25 spread	e	glauca . Tuft forming. Fully hardy. Has narrow leaves in various shades of blue-green to silvery white. Bears panicles of spikelets in Summer.	2	3.95
25x25 spread	e	- 'Azurit' . Tuft forming. Fully hardy. Brilliant blue leaves. Needs sunny position.	2	3.95
15x25 spread		- 'Blue Fox' (<i>'Blaufuchs'</i>). Blue leafed grass forming dense tufts. Best in sunny position.	2	3.95
10x25 spread	e	- 'Blue Glow' . Tuft forming. Fully hardy. Has narrow leaves in various shades of blue-grey. Bears panicles of spikelets in Summer. Requires sun.	2	3.95
10x25 spread	e	- 'Elijah Blue' . Spiky tufts of blue-grey leaves. Best planted in groups. Sun or light shade.	2	3.95
25x30 spread	e	- 'Golden Toupee' . Forms neat dense golden tufts of narrow narrow evergreen leaves. Prefers moist acid soil, sun or light shade.	2	3.95
10x20 spread	e	- 'Silberreihner' (<i>Silvery Heron</i>). Tuft forming. Fully hardy. Has narrow silvery-blue leaves. Bears panicles of spikelets in Summer. Requires sun.	2	3.95
10x20 spread	e	- Minima . A very dwarf form of <i>Festuca glauca</i> , neat habit.	2	3.95
25x25 spread	e	ovina 'Herz' (<i>Sheep's Fescue</i>). Densely tufted small perennial grass with fine grey-green leaves. Grey-purple flowers May to July. Suitable for natural planting. Best in full sun and well drained soil.	2	4.25
20x15 spread	e	valesiaca var. glau. 'Silbersee' (<i>syn. Silver Sea</i>). Tuft forming. Fully hardy. Has fine blue-green hair-like leaves. Bears panicles of spikelets in May to June. Divide every 2-3 years in Spring. Requires sun.	2	3.95
20x15 spread	e	- 'Glaucantha' (<i>Wallis Fescue</i>). Tuft forming. Fully hardy. Has fine blue-green hair-like leaves. Bears panicles of spikelets in May to June. Requires sun.	2	3.95

GLYCERIA

75		maxima 'Variegata' . Spreading, perennial grass with cream striped leaves, often tinged pink at the base. Bears open panicles of greenish spikelets in Summer. Spread indefinite. Requires full sun and moist soil.	2	3.95
			7.5	18.95
			12	29.00

HAKONECHLOA

60x40 spread	d	macra 'Aureola' . Rhizomatous grass, slow growing with purple stems and yellow leaves with green stripes which, with age, turn to reddish-brown. In Autumn/Winter, open panicles of reddish-brown flower spikes. Requires full sun and well drained soil.	2	4.25
			7.5	17.50

HELICTOTRICHON

100x55 spread	e	sempervirens (<i>syn. Avena candida</i>) (<i>Blue Oat Grass</i>). Tufted perennial grass with stiff silvery-blue leaves up to 30cm or more long. Produces erect panicles of straw coloured flower spikes in Summer.	2	4.75
			7.5	18.95

HOLCUS

40x50 spread	e	mollis 'Albovariegatus' (<i>Creeping Soft Grass</i>). Spreading, perennial grass with white striped leaves and hairy nodes. In summer carries purplish-white flower spikes. Clip back after flowering. Spread indefinite. Sun or partial shade.	2	3.95
			5	15.50

HORDEUM

30x30 spread		junceum (<i>Squirrel's Tails</i>). Masses of shining bristly flower spikes. Attractive both in the garden and for flower arrangements.	2	3.95
			7.5	17.95

HYSTRIX

90x50 spread		patula (<i>Bottle-bush Grass</i>). Deciduous perennial grass. Loosely tufted. Flowers like <i>'bottle bush'</i> . Ideal for fresh and dried use. Needs a sunny, open position for better growing.	2	4.95
--------------	--	--	---	------

55x35 spread	imperata cylindrica 'Red Baron' (Blood Grass) . Reddish foliage that turns crimson in late Summer. Slowly spreading rhizomes. Silvery-white flowers produced August to September.	2	4.25
		7.5	21.00

JUNCUS

40x30 spread	<i>e</i> 'Carmen's Grey' . Green-grey upright foliage, clump forming habit, small brown flowers. Prefers moist position.	2	3.95
25x55 spread	effusus 'Spiralis' (Corkscrew Rush) . Unusual spiralled dark green leaves. Suitable for flower arrangements. Prefers moist situation.	2	3.95
		5	15.50

KOELERIA

30x30 spread	glauca (Blue Hair Grass) . Dense clumps of narrow blue leaves. Sun.	2	4.50
		5	15.50

LEYMUS

120x100 spread	arenarius (syn. Elymus arenarius) (Blue Lyme Grass) . Tuft forming grasses with distinctive blue-grey foliage. Upright habit, slowly spreading. Buff-blue flowers from June to August. Sunny position.	3	4.50
		7.5	18.50
		12	29.00

LUZULA

60x45 spread	<i>e</i> nivea (Snowy Woodrush) . Slow-spreading, perennial rush with fairly dense clusters of shining, white flower spikes in early Summer. Leaves are edged with white hairs. Requires partial shade.	2	3.95
		7.5	18.50
		12	28.00
35x45 spread	<i>e</i> pilososa (Hairy Woodrush) . Densely tufted with slowly spreading rhizomes. Large dark brown flowers, Prefers partial shade, woodland conditions.	2	3.95
		7.5	18.50
		12	28.00
75x45 spread	<i>e</i> sylvatica (Greater Woodrush) . Perennial rush with fairly dense clusters of brown flower spikes in April-June. Leaves are mid-green lined with white hairs. Best in partial shade.	2	3.95
		7.5	18.50
		12	28.00
35x40 spread	<i>e</i> – 'Hohe Tatra' . Slow-spreading, perennial rush with fairly dense clusters of brown flower spikes in early Summer. Leaves are yellow-green and lined with white hairs. Requires partial shade.	2	3.95
		7.5	18.50
		12	28.00
30x40 spread	<i>e</i> – 'Marginata' . Slow-spreading, perennial rush with fairly dense clusters of brown flower spikes in early Summer. Leaves are mid-green with white margins and lined with white hairs. Best in partial shade.	2	3.95
		7.5	18.50
		12	28.00
15x50 spread	<i>e</i> ulophylla . Dwarf, slow-spreading, perennial rush with fairly dense clusters of shining, brown flower spikes in early Summer. Leaves are edged with white hairs.	2	3.95

MELICA

100x60 spread	altissima 'Atropurpurea' (Siberian Melic) . Deep mauve flowers hanging from the stem. Sun or part shade. Will tolerate dry soil.	2	3.95
		7.5	18.50
50x35 spread	<i>e</i> ciliata (Hairy Melic) . Tuft forming, perennial grass. Fluffy off-white flower heads produce from June to August. Requires full sun, suitable for a dry site.	2	3.95
65x65 spread	<i>e</i> nutans (Nodding Melic) . Tuft forming, perennial grass. Attractive purple or maroon spikelets hanging thread-like stalk from the stems during Summer. Requires full sun and well drained soil.	2	3.95
45x60 spread	uniflora 'Variegata' (Wood Melic) . Loosely tufted grass with striped green and white leaves. Flowers May to June. Requires shade and good soil.	2	4.25

MILLIUM

125x75 spread	effusum 'Aureum' (Bowles's Golden Grass) . Erect tufts of bright lemon-yellow leaves. Ideal for lighting up shaded areas. Light airy flower heads. Prefers moist semi-shade.	2	3.95
		12	28.00

MISCANTHUS

125x75 spread	<i>d</i> sinensis (Chinese Silver Grass) . Spreading, perennial grass with cream striped leaves, often tinged pink at the base. Bears open panicles of greenish spikelets in Summer. Spread indefinite. Requires full sun and moist soil.	3	4.35
		12	28.00
90x45 spread	<i>d</i> sinensis 'Ferne Osten' . Herbaceous perennial grass, clump forming with compact habit. Slim leaves with silver midrib. Red flowers in Autumn. Requires full sun and well drained soil.	3	4.95
		12	28.00

150x130 spread	d	–	‘Flamingo’ . Neat habit with pink flowers and red stems in late Summer.	3	4.50
				12	28.00
180x100 spread	d	–	‘Gracillimus’ . Herbaceous perennial grass, clump forming with narrow green-pink flowers in late Summer, turning silver in Autumn. Requires full sun and well drained soil.	3	5.50
				12	28.00
180x100 spread	d	–	‘Graziella’ . Herbaceous perennial grass, clump forming, green-pink flowers in late Summer turning silver in Autumn. Requires full sun and well drained soil.	3	4.95
				12	28.00
145x120 spread	d	–	‘Kleine Fontaine’ (Little Fountain) . Compact habit. Herbaceous, clump forming, perennial grass, with narrow leaves. Silver inflorescence during July and August which retain interest during Winter. Requires full sun.	3	4.50
				12	28.00
115x90 spread	d	–	‘Silberspinne’ (Little Silver Spider) . Compact plant with narrow leaves, open spidery flower head red turning silver.	3	4.50
				12	28.00
115x100 spread	d	–	‘Morning Light’ . Narrow grey-green leaves variegated white. Silvery flower heads. Full sun.	3	4.50
				12	28.00
115x100 spread	d	–	‘Nippon’ . Shorter form with narrow leaves. Red flowers July to September.	3	4.50
				12	28.00
150x100 spread	d	–	‘Rotsilber’ . Herbaceous perennial grass, clump forming. Leaves have silvery stripe down the centre. Red flowers in late Summer, turning silver in Autumn. Requires full sun and well drained soil.	3	4.95
200 spread	d	–	‘Sirene’ . Herbaceous perennial grass, clump forming. Pink-red spikelets in August to October. Requires full sun and well drained soil.	3	4.95
180 spread	d	–	‘Variegatus’ . Herbaceous perennial grass, clump forming. Green and yellow variegated narrow leaves, with white spikelets in late Summer. Requires full sun and well drained soil.	3	4.95
				12	28.00
95x60 spread	d	–	‘Yakushima Dwarf’ . Very compact habit. Herbaceous, clump forming, perennial grass, with narrow leaves, feathery white spikelets in late Summer. Requires full sun and well drained soil.	3	4.20
240x150 spread	d	–	‘Zebrinus’ (Zebra Grass) . Stately specimen plant with attractive flower heads. Green leaves with horizontal bands of yellowish white.	3	4.50
				12	26.00

MOLINIA

35x45 spread			caerulea (Purple Moor Grass) . Attractive tuft forming grass, herbaceous, fully hardy. Produces spreading panicles of dark spikelets on erect stems from July to October. Needs a dry, sunny position and acid soil.	3	4.25
				7.5	18.50
50x40 spread		–	‘Moorhexe’ (‘Bog Witch’) (Purple Moor Grass) . Tuft forming grass with upright foliage. Dark flowers in July to September. Grows best on damp acid soil.	3	4.25
				7.5	18.50
75		–	‘Strahlenquelle’ (Purple Moor Grass) . Herbaceous, fully hardy tuft forming grass. Upright foliage. Light brown open flowers on green stems during Summer. Requires damp acid soil for best growth.	3	4.95
35		–	‘Variegata’ . Herbaceous, fully hardy tuft forming grass with white striped leaves. Very attractive with spreading panicles of purple spikelets on erect stems from July to October. Requires a dry sunny position and acid soil.	3	4.95

OPHIOPOGON

20x20 spread	e		japonicus ‘Silver Dragon’ . Grass-like evergreen, tuft forming. Silver foliage, silvery flowers followed by blue berries.	2	4.25
20x25 spread	e		planiscapus Nigrescens . Distinctive purple-black foliage. Lilac flowers June to July followed by black berry. Good contrast plant.	2	4.25
				7.5	18.50

PANICUM

100x75 spread			virgatum ‘Heavy Metal’ (Switch Grass) . Upright steel-blue foliage, ideal as an accent plant. Auburn tinted feathery flowers, September to November.	3	4.95
				12	23.00
110x70 spread		–	‘Rehbraun’ (Switch Grass) . Upright habit. Dainty chestnut-brown flowers September to November. Leaves turn red in Summer and become crimson in Autumn.	3	4.95
				12	23.00
100x70 spread		–	‘Squaw’ (Switch Grass) . Upright habit, ideal as an accent plant. Red feathery flowers, September to November. Leaves turn red in Summer and become crimson in Autumn.	3	4.95

75x50 spread	e alopecuroides 'Hamen' (Fountain Grass) . Loosely tufted grass with attractive arching flower heads. Low growing. Dark green leaves tinged with purple. Flower from August. Needs sunny position.	2	4.70	12	25.00
45x40 spread	e Viridescens . Loosely tufted grass with attractive arching flower heads. Dark green leaves tinged with purple. Flower from August. Needs sunny position and light well drained soil.	3	4.55		
100x70 spread	orientale (Hardy Oriental Fountain Grass) . Grown for its most attractive flower spikes. Densely tufted, deciduous perennial grass with slowly spreading rhizomes. Best grown as a specimen plant. Needs a sunny position.	3	4.55		

PHALARIS

100x ∞ spread	e arundinacea 'Cream Form' . Slow spreading, perennial grass, with broad, cream striped leaves. Produces narrow panicles of spikelets in summer. Spread indefinite. Requires partial shade.	3	4.95	7.5	18.50
100x ∞ spread	e – 'Feeseys Form' (Reed Canary Grass) . Slow spreading, perennial grass, with broad, white striped leaves. Produces narrow panicles of spikelets in Summer. Spread indefinite. Requires partial shade and moisture.	3	4.95	7.5	18.50
				12	28.00

PHRAGMITES

250x120 spread	australis 'Variegatus' (Common/Norfolk Reed) . Spreading rhizomatous perennial grass with erect habit. The leaves are striped rich, bright yellow in Spring to early Summer, then fading to pure white. Pinkish-purple flowers from August to October.	3	4.95		
----------------	---	---	------	--	--

POA CHAIXII

25x45 spread	e chaixii (Broad-Leaved Meadow Grass) . Bold plant. Shiny bright green leaves. Purplish flowers.	2	3.95		
--------------	---	---	------	--	--

SCHIZACHYRIUM

55x35 spread	scoparium (syn. Andropogon) (Little Bluestem) . Clump forming grass with erect leaves that are grey-green in Spring and turn red in Autumn. Unusual flower heads produced in August to October are suitable for drying. Best grown on light soil.	2	3.95		
--------------	--	---	------	--	--

SESLERIA

30x30 spread	e caerulea . Dense tufted perennial grass, mid-green above and a silver underside. The flowers can produce mini plants like little 'mops'.	2	4.50		
70x45 spread	heufferiana (Green Moor Grass) . Spring flowering tuft forming perennial grass with interesting evergreen foliage, mid-green above and silvery underside. Easy to grow in good soil and open position.	2	3.95		

SPARTINA

200 x 150	pectinata Aureomarginata (Prairie Lord Grass) . Herbaceous, spreading rhizomatous grass. Long, arching striped yellow leaves turning orangy-brown in late Autumn and Winter. Requires full sun and moist soil.	3	4.95		
-----------	---	---	------	--	--

STIPA

90x125 spread	arundinacea (New Zealand Wind Grass) . Impressive Autumn display. Foliage turning orange-brown in late Summer with haze of tiny purple flowers. Avoid driest soils.	3	4.95	12	26.50
100x120 spread	calamagrostis . Densely tufted deciduous grass. Long graceful feathery white panicles produced June to October and remain throughout the Winter. Best in full sun.	3	4.95	12	26.50
160x110 spread	gigantea (Giant Feather Grass) . A magnificent grass, best planted in isolation. Open heads of flowers, purplish, with long awns.	3	4.95	12	26.50
200x120 spread	splendens (Chee Grass) . Attractive clumps with large delicate panicles produced May to July. An ideal Specimen plant. Drought resistant.	3	4.95		
70x35 spread	tenuissima . Clumps of narrow bright green leaves with arching heads of delicate flowers. Best in full sun.	3	4.95	12	26.50

UNCINIA

40x35 spread	e 'Rubra' (Hook Sedge) . Attractive dense tufts of dark-bronze to rusty-green foliage. Light brown flowers July to August.	2	4.35	7.5	18.50
--------------	---	---	------	-----	-------